

I5626 / BRYAN HINSON

Kit Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
9324001	2019-11-22	3:00 pm	2019-11-25	3:00 pm	70	WHITE CITY		MOD 2		3	< 0.3
9324002	2019-11-22	3:00 pm	2019-11-25	3:00 pm	70	WHITE CITY		MOD 2		3	< 0.3
9324003	2019-11-22	1:00 pm	2019-11-25	12:00 pm	70	PHOENIX		OFFICE		3	< 0.3
9324004	2019-11-22	1:00 pm	2019-11-25	12:00 pm	70	PHOENIX		CLASSROOM		3	< 0.3
9324005	2019-11-22	3:00 pm	2019-11-25	3:00 pm	70	WHITE CITY		MOD 2		3	< 0.3
9324006	2019-11-22	3:00 pm	2019-11-25	3:00 pm	70	WHITE CITY		MOD 1		3	< 0.3
9324007	2019-11-22	3:00 pm	2019-11-25	3:00 pm	70	WHITE CITY		MOD 1		3	< 0.3
9324008	2019-11-22	3:00 pm	2019-11-25	3:00 pm	70	WHITE CITY		MOD 1		3	< 0.3
9324009	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		CONTROL		3	< 0.3
9324010	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN				3	< 0.3
9324011	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		STACY'S OFFICE		3	0.5
9324012	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		DARCY'S OFFICE		3	< 0.3
9324013	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		RECEPTION		3	< 0.3
9324014	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		MEETING ROOM #1		3	< 0.3
9324015	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		MEETING ROOM #2		3	0.5
9324016	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		MEETING ROOM #3		3	< 0.3
9324017	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		SUPPORT STAFF		3	< 0.3
9324018	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		PAT'S OFFICE		3	< 0.3
9324019	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		AUTISM		3	0.6
9324020	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		CLASSROOM #1		3	< 0.3
9324021	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		CLASSROOM #2		3	< 0.3
9324022	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		CLASSROOM #3		3	0.6
9324023	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		SPEECH #1		3	< 0.3
9324024	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		SPEECH #2		3	< 0.3
9324025	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		GYM		3	< 0.3
9324026	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MAIN		ANNICA'S OFFICE		3	< 0.3
9324027	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MODULAR		CLASSROOM		3	< 0.3
9324028	2019-11-22	4:00 pm	2019-11-25	4:00 pm	70	STEWART MODULAR		OFFICE		3	< 0.3

I5626 / BRYAN HINSON

Kit Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
9324029	2019-11-22	4:00 pm	2019-11-25	2:00 am	68	GREEN		0.5		3	0.6
9324030	2019-11-22	4:00 pm	2019-11-25	2:00 am	67	GREEN		14		3	0.7
9324031	2019-11-22	4:00 pm	2019-11-25	2:00 am	67	GREEN		15		3	0.5
9324032	2019-11-22	6:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		P1		3	0.7
9324033	2019-11-22	6:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		P2		3	0.7
9324034	2019-11-22	6:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		P3		3	0.8
9324035	2019-11-22	6:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		P4		3	0.8
9324036	2019-11-22	6:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		P5		3	0.7
9324037	2019-11-22	6:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		P6		3	0.7
9324038	2019-11-22	6:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		P7		3	0.8
9324039	2019-11-22	6:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		P8		3	0.7
9324040	2019-11-22	6:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		P9		3	<0.3
9324041	2019-11-22	6:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		P10		3	0.6
9324042	2019-11-22	6:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		P11		3	0.5
9324043	2019-11-22	6:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		P12		3	0.5
9324044	2019-11-22	6:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		P13		3	0.6
9324045	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R1		3	0.5
9324046	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R2		3	1.0
9324047	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R3		3	0.8
9324048	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R4		3	0.8
9324049	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R5		3	0.9
9324050	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R6		3	0.6
9324051	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R7		3	0.9
9324052	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R8		3	0.7
9324053	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R9		3	0.7
9324054	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R10		3	<0.3
9324055	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R11		3	0.8
9324056	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R12		3	0.7
9324057	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R13		3	1.0
9324058	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R14		3	0.8
9324059	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R15		3	0.7
9324060	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R16		3	<0.3
9324061	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R17		3	0.6
9324062	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R18		3	0.8
9324063	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R19		3	1.0

I5626 / BRYAN HINSON

Kit Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
9324064	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R20		3	0.8
9324065	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R21		3	0.6
9324066	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R22		3	< 0.3
9324067	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R23		3	0.7
9324068	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R24		3	0.7
9324069	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R25		3	0.6
9324070	2019-11-22	7:00 pm	2019-11-25	10:00 am	70	STEPHENS MAIN 1871		R26		3	< 0.3
9324071	2019-11-22	6:00 pm	2019-11-25	11:00 am	70	STEPHENS MAIN 1871		R27		3	1.0
9324072	2019-11-22	6:00 pm	2019-11-25	11:00 am	70	STEPHENS MAIN 1871		R28		3	< 0.3
9324073	2019-11-22	6:00 pm	2019-11-25	11:00 am	70	STEPHENS MAIN 1871		R29		3	< 0.3
9324074	2019-11-22	6:00 pm	2019-11-25	11:00 am	70	STEPHENS MAIN 1871		R27 DUPLICATE		3	0.9
9324075	2019-11-22	6:00 pm	2019-11-25	11:00 am	70	STEPHENS MAIN 1871		R3 DUPLICATE		3	0.5
9324076	2019-11-22	6:00 pm	2019-11-25	11:00 am	70	STEPHENS MAIN 1871		R10 DUPLICATE		3	0.6
9324077	2019-11-22	6:00 pm	2019-11-25	11:00 am	70	STEPHENS MAIN 1871		R29 DUPLICATE		3	< 0.3
9324078	2019-11-22	7:00 pm	2019-11-25	11:00 am	68	STEPHENS ANNEX		A-1		3	0.7
9324079	2019-11-22	7:00 pm	2019-11-25	11:00 am	68	STEPHENS ANNEX		A-2		3	0.8
9324080	2019-11-22	7:00 pm	2019-11-25	11:00 am	68	STEPHENS ANNEX		A-3		3	0.7
9324081	2019-11-22	7:00 pm	2019-11-25	11:00 am	68	STEPHENS ANNEX		A-4		3	0.8
9324082	2019-11-22	7:00 pm	2019-11-25	11:00 am	68	STEPHENS ANNEX		A-5		3	0.6
9324083	2019-11-22	7:00 pm	2019-11-25	11:00 am	68	STEPHENS ANNEX		A-6		3	0.6
9324084	2019-11-22	7:00 pm	2019-11-25	11:00 am	68	STEPHENS ANNEX		A-7		3	0.6
9324085	2019-11-22	7:00 pm	2019-11-25	11:00 am	68	STEPHENS ANNEX		A-8		3	< 0.3
9324086	2019-11-22	7:00 pm	2019-11-25	11:00 am	68	STEPHENS ANNEX		A-4 DUPLICATE		3	0.8
9324087	2019-11-22	7:00 pm	2019-11-25	11:00 am	68	STEPHENS ANNEX		A-4 BLANK		3	< 0.3
9324088	2019-11-22	6:00 pm	2019-11-25	11:00 am	70	STEPHENS MAIN 1871		R27 BLANK		3	< 0.3
9324089	2019-11-22	6:00 pm	2019-11-25	11:00 am	70	STEPHENS MAIN 1871		R3 BLANK		3	< 0.3
9324090	2019-11-22	6:00 pm	2019-11-25	11:00 am	70	STEPHENS MAIN 1871		R10 BLANK		3	< 0.3
9324091	2019-11-22	6:00 pm	2019-11-25	11:00 am	70	STEPHENS MAIN 1871		R29 BLANK		3	< 0.3